How to Use This Manual Beside Volume 2

1. Start with the client - not the protocol title.
2. Clarify the session purpose, relevant history, current medical care and red flags.
3. Establish a baseline using the areas relevant to the client's presentation.
4. Identify repeatable patterns and compare related systems.
5. Open the matching Volume 2 protocol family only after relevance is established.
6. Use this walkthrough to decide what to review first, what can wait, and what should not be assumed.
7. Select a small number of targets and apply only support appropriate to the client and device.
8. Reassess before adding another layer.
9. Document the observation, reasoning, action, response and next decision.

SAM'S PRACTITIONER REASONING: Volume 2 is not permission to do more. It gives you more options, which means you need better filtering. The more complex the client, the more important it becomes to know what you are deliberately NOT doing today.

ANAVRIN WELLNESS - SAMPLE PREVIEW

SAMPLE PREVIEW | Selected source page 4 | Educational reference only

Volume 2 Readiness: The Decision Gate

Readiness question	Proceed when...	Step back when...
Medically safe for complementary work?	No red flag is being ignored and current care is understood.	Urgent assessment or unstable illness needs attention.
Are device observations usable?	Important findings repeat or have related support.	Findings are highly variable or cannot be reproduced.
Does the client tolerate sessions?	Previous work was tolerated without meaningful worsening.	Marked fatigue, agitation, headache, dizziness or other adverse response.
Is there a clear priority?	You can explain one main pattern or question.	You are chasing many unrelated findings.
Is Volume 2 needed?	A relevant specialised pathway exists in the updated book.	A simpler foundational route remains more appropriate.

Practitioner Checkpoint

- decide whether advanced work is justified
- state one clear session priority
- recognise when foundational support is better

Before You Move On

Do not open an advanced protocol merely because its title resembles the client's diagnosis or complaint.

ANAVRIN WELLNESS - SAMPLE PREVIEW

SAMPLE PREVIEW | Selected source page 5 | Educational reference only

The Advanced Finding-to-Decision Method

ACTION: Identify the exact finding: anatomy, graph, icon, entropy/coherence value, KCC/correlation, etalon or other device marker.

LOOK FOR: Repeatability, relationship to the client's presentation, and supporting findings in connected systems.

REASONING: A single striking result is weaker than a coherent pattern that appears in context and changes your next step.

DECISION: Act only if the finding is relevant enough to guide the session and supported by an appropriate Volume 2 pathway.

CAUTION: Do not convert a device label into a medical diagnosis, laboratory value, pathogen confirmation, measured hormone level or genetic conclusion.

NEXT STEP: Support, observe, investigate further, defer, or refer - then decide what you will reassess.

ANAVRIN WELLNESS - SAMPLE PREVIEW

SAMPLE PREVIEW | Selected source page 6 | Educational reference only

The 10-Part Volume 2 Walkthrough Format

Part	Purpose
1	When to use this pathway
2	When not to use / when medical care takes priority
3	What should be established first
4	Step-by-step assessment route
5	Meta-Therapy / device-support decision
6	Vegetative Testing / imprinting decision where applicable
7	What to monitor
8	Stop / pause indicators
9	Reassessment logic
10	Documentation and common mistakes

Every protocol family below follows the same decision structure so the practitioner can find the relevant step quickly during a session.

ANAVRIN WELLNESS - SAMPLE PREVIEW

SAMPLE PREVIEW | Selected source page 7 | Educational reference only